

(12) United States Patent

US 10,771,427 B2 (10) Patent No.:

(45) Date of Patent:

Sep. 8, 2020

(54) SYSTEMS AND METHODS FOR **DETERMINING CHARACTER ENTRY** DYNAMICS FOR TEXT SEGMENTATION

(71) Applicant: VERISIGN, INC., Reston, VA (US)

- Inventor: Andrew West, Reston, VA (US)
- Assignee: VERSIGN, INC., Reston, VA (US)
- (*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 64 days.

- (21) Appl. No.: 15/046,814
- Filed: Feb. 18, 2016 (22)

(65)**Prior Publication Data**

US 2017/0244664 A1 Aug. 24, 2017

(51)	Int. Cl.	
	G06F 17/27	(2006.01)
	H04L 29/12	(2006.01)
	G06F 40/242	(2020.01)
	G06F 40/247	(2020.01)
	G06F 40/284	(2020.01)
	G10L 15/05	(2013.01)

(52) U.S. Cl.

CPC H04L 61/1511 (2013.01); G06F 40/242 (2020.01); G06F 40/247 (2020.01); G06F 40/284 (2020.01); G10L 15/05 (2013.01); H04L 61/302 (2013.01)

Field of Classification Search

CPC G06F 17/27 USPC 704/9, 7, 10; 707/766, 687; 709/206; 715/780, 773, 704, 249, 234

See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

5.528.743	A *	6/1996	Tou G06F 40/189
3,320,713		0/1000	715/234
5 704 060	A *	12/1007	Del Monte H03M 7/30
7,129,932	B1 *	10/2006	Klarlund G06K 9/723
			345/168
8,086,441	B1*	12/2011	Raffill G06F 40/53
			704/7
9,298,276	B1*	3/2016	Bi G06F 3/0236
2004/0153522	A1*	8/2004	Hirose H04L 69/329
			709/206
2005/0149507	A1*	7/2005	Nye G06F 16/951
2007/0124301	$\mathbf{A}1$	5/2007	Elbaz et al.
2009/0234632	A1*	9/2009	Hasegawa G06F 3/01
			704/1
			/04/1

(Continued)

OTHER PUBLICATIONS

Extended European Search Report dated Aug. 1, 2017, European Application No. 17156717.5, pp. 1-8.

Primary Examiner — Michael Colucci (74) Attorney, Agent, or Firm — MH2 TECHNOLOGY LAW GROUP, LLP

ABSTRACT

A method can include receiving a string of characters. The method can include determining one or more possible word boundaries for words in the string of characters based at least partially on a segmentation process. The method can also include determining, for each character in the string of characters, an amount of time between entry of each character on an input device. The method can include determining, based at least partially on the amount of time and the one or more possible word boundaries, one or more actual word boundaries for the words in the string of characters. The method can also include outputting one or more determined words in the string of characters based at least partially on the one or more actual word boundaries.

19 Claims, 8 Drawing Sheets

